

# AMIGUARD® 8000 SERIES GATES



**AMICO**  
PERIMETER SECURITY

**AMIGUARD® 8500 Cantilever Gate with  
AMIGUARD® 4700 Palisade Infill**

# AMIGUARD® 8000 SERIES GATES



**AMICO Security is now a leading single-source provider of integrated access control solutions and expert technical support for industrial, commercial, and residential applications. The AMIGUARD® 8000 Series Gates are fully integrated with our Security fence product lines and AMIGUARD® meshes.**

Since 1990 we have partnered with contractors, installers, architects, and engineers to deliver high-quality designs, products, and services for complete access control. Our knowledge and experience

is specialized across multiple security platforms ranging from residential lifestyle and community entry, to industrial and commercial access, to the most stringent high security protection demands.

AMIGUARD® 8000 Series Gates from AMICO Security provide security and access control for industrial, commercial and residential sites. Specify the gate alone, or request a complete, integrated solution with the gate operator and access control system that meets your project requirements. AMICO Security also offers gate customization services.


## AMIGUARD® 8300 Swing Gates

### High-Performance Features

- Durable aluminum construction to endure stresses, prevent rusting and extend the life of the gate operator
- The look of steel with the lighter-weight, corrosion-resistant, high-cycle operation
- All welded construction for greater frame strength and rigidity
- Precision-machined, permanently lubricated hinges for long-term performance
- Manual or automatic operation

### Specifications

- For openings measuring from 3 ft. to 20 ft. (standard)
- Standard or micro-box frame
- Three-year limited warranty







## ANC Non Conductive Swing & Slide Gates


AMICO Security developed the ANC non conductive fence system as a total perimeter solution to offer a safe, aesthetically pleasing, non-conductive, radar friendly alternative to traditional fencing. The ANC Non Conductive Swing & Slide Gates are part of this non-conductive product family. ANC is growing rapidly in popularity and has many applications and advantages.

All ANC panels and the frame of the ANC Non Conductive Swing & Slide Gates are non-metallic and non conductive. Threaded fasteners bolt through the panels and tighten up securely using AMICO tamper-proof wedge plugs. Only a few hardware pieces such as hinges, the inside of the tracks and locks are actually metallic.

Secure substations, power facilities and energy companies throughout the world are becoming increasingly aware that ANC is the best solution to eliminate unforeseen occurrences related to touch and step potential.

ANC can help to ensure that power employees who work around and the general population living around substations are safer. Dielectric tests have been conducted by a certified laboratory in which leakage current and flashover voltage tests revealed NO electrical conductivity.

As the need for airport security increases, AMICO has the answer. Airports throughout the globe are searching for Perimeter Systems that won't interfere with radar signals. While traditional high security metal fencing system reflect radar, creating false images, ANC fencing doesn't show this interference. In addition to being safe and secure, ANC provides a clean aesthetically pleasing look that blends into the landscape.



## AMIGUARD® 8500 Slide Gates

### High-Performance Features


- Durable construction to endure stresses and extend the life of the gate and gate operator
- The look of steel with the lighter-weight, corrosion-resistant, high-cycle, high-speed operation
- Robust movement mechanism for long-term performance
- Industry's heaviest and most robust enclosed track for safety, reducing liability risks
- Truck assembly with 2-inch, permanently sealed bearings for maintenance-free operation

### Specifications

- For openings measuring from 10 ft. to 48 ft. (standard)
- Manual or automatic operation
- Single-track, twin-track, micro-box frame or macro-box frame system type
- Three-year limited warranty

### Special Engineering Available

- Crash Rated slide gates up to 30 ft.
- Telescopic slide gates up to 250 ft.
- Rolling gates up to 600 ft.



# AMIGUARD® 8000 SERIES GATES



## AMIGUARD® 8700 Turnstiles

The AMIGUARD® 8700 full height galvanized steel turnstile series provides superior access control through solid construction and safe design. These units are rated for outdoor use and come with hot dip galvanized powder coat finish. The mechanism components are aluminum and stainless steel.

This unit was developed with the installer in mind and can be assembled in a fraction of the time it takes to install comparable industry models. Should requirements change after installation, a user can easily change these units (that come electrically pre-configured) from fail-safe to fail-secure.

To prevent shock and vibration from transferring through the turnstile frame, all areas where mechanical impact occurs during normal operation (ratchets and mechanism mounts) are insulated with shock absorbing materials. This unique design assures a quiet and smooth operation of the turnstile and adds to the life of all mechanical parts.

Included with every turnstile are the following safety features: Heel protection, Home Position centering of spindle, Relocking timer and Anti-Passback preventing simultaneous passing of 2 people.

## Gate Operators & Access Controls

Selecting from the highest-quality solutions available, we specify, provide and support only the best products for your application. We also ensure that all our solutions comply with the UL 325 safety standard.


AMICO Security delivers safe and efficient Gate Operators for reliable operation. Gate Operators include Slide Gate Operators, Swing Gate Operators, Hydraulic Gate Operators and Parking and Barrier Gate Operators. Available Access Control systems include Telephone & Digital Entry, Card Reader Systems, Vehicle ID Systems, Custom Camera Systems and Pad Locks.



## Industry Leading Products

AMICO Security delivers safe and efficient solutions with industry leading products for reliable operation and access control.


- All-O-Matic
- AutoGate
- BAi – Barcode Automation
- BD Loops
- BFT
- Byan Systems
- Cartell
- Click2Enter
- DITEK
- DKS - DoorKing
- Diablo Controls
- EMX Industries
- FAAC International
- HID Global
- HySecurity/NICE
- LOCINOX
- Lockey USA
- MMTC
- Magnetic
- MillerEdge
- National Loop Co.
- Nortek Linear (OSCO)
- Northstar Controls
- OPTICOM
- Pedestal PRO
- Pro Access Systems
- RAE – Reno A&E
- RAI Products
- Ruscoe Highway Products
- SOS – Siren Operated Systems
- Seco-Larm
- SecuraKey
- Securitron
- Security Brands Inc.
- Select Engineered Systems
- USAutomatic
- Viking Access



## AMIGUARD® 8000 Series Hardware Kit

The AMIGUARD® 8000 Series Hardware Kit contains all of the necessary hardware in compliance with ASTM 2200 and UL 325 standards.

**Adjustable Catch**




**Truck Hanger Bracket**




**6-5/8" or 4" Round**



**Single Wheel Guide**



**Double Wheel Guide**



**6" or 4" Square**




**U Bolts Options**

**Truck Assembly**




**Track Extrusion and Stop Assembly**




**6-5/8" or 4" Round**




**Barb Arm Kit**



**Tension Band**



**6" or 4" Square**



**UL325 Baffle Kit**





# AMIGUARD® 8000 SERIES GATES



**ANC Non Conductive Swing & Slide Gates**



**Cantilever Gate with AMIGUARD® 7700 High Security Mesh**



**Cantilever Gate with AMIGUARD® 6100 Infill**



**AMIGUARD® 8500 Ballistic Cantilever Gate**





**AMIGUARD® Pedestrian Gate with  
Dual Guard 5700/7700 Infill**



**AMICO®**  
PERIMETER SECURITY

**AMICO Security**  
**3245 Fayette Avenue**  
**Birmingham, AL 35208**  
**855-552-6426**

**[amicosecurity.com](http://amicosecurity.com)**  
**[info@amicosecurity.com](mailto:info@amicosecurity.com)**  
**[linkedin.com/company/amicosecurity](https://www.linkedin.com/company/amicosecurity)**