

ShadowGlo™ HD Log Sets: SF-HDL-TIMBER, SF-HDL-BIRCH

Models: SF-SC43-BK, SF-SC55-BK, SF-SC78-BK, SF-SCT43-BK, SF-SCT55-BK
Instructions



Leave this instruction with party responsible for use and operation.

NOTICE! DO NOT discard these instructions. Important service and maintenance instructions included.

NOTICE! DO NOT discard any hardware while servicing. It may be reused.

Introduction

SimpliFire(R) ShadowGlo HD log sets are hand-painted and offer true-to-life look and glow. Areas on some logs are purposefully left unpainted, creating a stunningly realistic glow in the charred portions of the log when the LED ember bed lights shine through.

There is no specific placement requirements for media in the SimpliFire linear fireplaces. These placement instructions serve as a starting point for displaying the logs included in this kit. If your fireplace is longer or shorter than what is shown in this example, the pattern and general concept can be repeated.

CAUTION! Risk of Cuts, Abrasions or Flying Debris. Wear protective gloves and safety glasses during installation and service. Sheet metal edges are sharp.

WARNING! Risk of Shock! Always unplug the cord or turn off the circuit breaker before moving or servicing.

Tools and Supplies Needed

Before beginning and installation be sure that the following tools - supplies are available.

- Gloves
- Magnetic Phillips screwdriver
- Safety glasses
- Ember Media (included with appliance)

SF-HDL-TIMBER Kit includes:

LOG REFERENCE LETTER	LOG QTY	LOG REFERENCE LETTER	LOG QTY
A	1	H	1
B	1	I	1
C	1	J	1
D	1	K	1
E	1	L	2
F	1	M	2
G	1		




Figure 1 SF-HDL-TIMBER Log Set

SF-HDL-BIRCH Kit includes:

LOG REFERENCE LETTER	LOG QTY	LOG REFERENCE LETTER	LOG QTY
A	1	G	1
B	1	H	1
C	1	I	1
D	1	J	1
E	2	K	2
F	1	L	2

Glass Front Removal

Refer to the appliance Owner's Manual for instructions to remove and install glass front.

CAUTION! *Two adults recommended for the removal or installation of glass front. Use caution when handling glass. Failure to do so could result in personal injury or property damage.*




Figure 2 SF-HDL-BIRCH Log Set

SF-HDL-TIMBER Log Installation

Note: Log placement examples below are variable and may be changed based on your desired look. The number of logs needed will vary depending on the length of your fireplace.

1. Take the logs with significant char and position them inside the firebox with the unpainted portion facing down (allowing the fuel bed light to shine through) as shown in Figure 3.



Figure 3. Place Small Logs

2. Arrange the remaining logs throughout the firebox so that one end rests on top of another log. Refer to Figure 3 as an example.



Figure 3. Place Remaining Logs

3. Evenly place the black or clear finishing embers that came with your appliance throughout the fuel bed, filling in the surface areas between logs. Refer to Figure 4.



Figure 4. Log Placement Reference per Appliance

Glass Front Installation

Refer to the appliance Owner's Manual for instructions to replace front glass.

SF-HDL-BIRCH Log Installation

Note: Log placement examples below are variable and may be changed based on your desired look. The number of logs needed will vary depending on the length of your fireplace.

1. Take the logs with significant char and position them inside the firebox with the unpainted portion facing down (allowing the fuel bed light to shine through) as shown in Figure 5.



Figure 5. Place Small Logs

2. Arrange the remaining logs throughout the firebox so that one end rests on top of another log. Refer to Figure 6 as an example.



Figure 6. Place Remaining Logs

3. Evenly place the black or clear finishing embers that came with your appliance throughout the fuel bed, filling in the surface areas between logs. Refer to Figure 7.



Figure 7. Log Placement Reference per Appliance

Glass Front Installation

Refer to the appliance Owner's Manual for instructions to replace front glass.

SimpliFire, a brand of Hearth & Home Technologies
7571 215th Street West, Lakeville, MN 55044
www.hearthnhome.com